

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
6: OKOBOJI SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	OKOBOJI	Yes	pothole	3,2B3	YES	NO	YES	2,366
	CALCAREOUS	Yes	pothole	2B3	YES	NO	NO	124
27: TERRIL LOAM, 2 TO 5 PERCENT SLOPES	TERRIL	No	---	---	---	---	---	732
	OTHER	No	---	---	---	---	---	38
29: CLARION-NICOLLET LOAMS, 1 TO 3 PERCENT SLOPES	CLARION	No	---	---	---	---	---	785
	NICOLLET	No	---	---	---	---	---	471
	OTHER	No	---	---	---	---	---	314
41B: SPARTA LOAMY FINE SAND, 2 TO 5 PERCENT SLOPES	SPARTA	No	---	---	---	---	---	309
	OTHER	No	---	---	---	---	---	16
41C: SPARTA LOAMY FINE SAND, 5 TO 9 PERCENT SLOPES	SPARTA	No	---	---	---	---	---	299
	OTHER	No	---	---	---	---	---	16
55: NICOLLET LOAM, 1 TO 3 PERCENT SLOPES	NICOLLET	No	---	---	---	---	---	8,878
	OTHER	Yes	pothole	3,2B3	YES	NO	YES	467
62D3: STORDEN LOAM, 5 TO 14 PERCENT SLOPES, SEVERELY ERODED	STORDEN	No	---	---	---	---	---	477
	OTHER	No	---	---	---	---	---	26
	SALIDA	No	---	---	---	---	---	26
62E3: STORDEN LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	STORDEN	No	---	---	---	---	---	180
	OTHER	No	---	---	---	---	---	10
	SALIDA	No	---	---	---	---	---	10
73C: SALIDA SANDY LOAM, 2 TO 9 PERCENT SLOPES	SALIDA	No	---	---	---	---	---	1,268
	OTHER	No	---	---	---	---	---	67

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
73D: SALIDA SANDY LOAM, 9 TO 14 PERCENT SLOPES	SALIDA	No	---	---	---	---	---	470
	OTHER	No	---	---	---	---	---	25
73F: SALIDA SANDY LOAM, 14 TO 30 PERCENT SLOPES	SALIDA	No	---	---	---	---	---	252
	OTHER	No	---	---	---	---	---	13
83: KENYON LOAM, 0 TO 2 PERCENT SLOPES	KENYON	No	---	---	---	---	---	565
	OTHER	No	---	---	---	---	---	30
83B: KENYON LOAM, 2 TO 5 PERCENT SLOPES	KENYON	No	---	---	---	---	---	2,679
	OTHER	No	---	---	---	---	---	141
83C2: KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KENYON	No	---	---	---	---	---	432
	BASSETT	No	---	---	---	---	---	23
84: CLYDE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CLYDE	Yes	drainageway	2B3	YES	NO	NO	7,733
	OTHER	No	---	---	---	---	---	407
95: HARPS LOAM, 1 TO 3 PERCENT SLOPES	HARPS	Yes	ground moraine	2B3	YES	NO	NO	4,023
	OTHER	Yes	pothole	2B3,3	YES	NO	YES	212
107: WEBSTER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	WEBSTER	Yes	ground moraine	2B3	YES	NO	NO	13,370
	OTHER	Yes	pothole	2B3,3	YES	NO	YES	704
135: COLAND SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	1,639
	sandy and muck areas	Yes	depression	3,1	NO	NO	YES	86
138: CLARION LOAM, 0 TO 2 PERCENT SLOPES	CLARION	No	---	---	---	---	---	405

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
138B: CLARION LOAM, 2 TO 5 PERCENT SLOPES	CLARION	No	---	---	---	---	---	12,290
	LESTER	No	---	---	---	---	---	683
	NICOLLET	No	---	---	---	---	---	683
138C2: CLARION LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARION	No	---	---	---	---	---	2,490
	GRAVELLY OR SANDY	No	---	---	---	---	---	146
	OTHER	No	---	---	---	---	---	146
	STORDEN	No	---	---	---	---	---	88
	LESTER	No	---	---	---	---	---	59
151: MARSHAN CLAY LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	MARSHAN	Yes	terrace	2B3	YES	NO	NO	2,525
152: MARSHAN CLAY LOAM, DEEP, 0 TO 2 PERCENT SLOPES	MARSHAN	Yes	terrace	2B3	YES	NO	NO	9,935
153: MARSHAN CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES	MARSHAN	Yes	depression	2B3,3	YES	NO	YES	355
169B: CLARION LOAM, 2 TO 5 PERCENT LONG SLOPES	CLARION	No	---	---	---	---	---	4,470
	OTHER	No	---	---	---	---	---	235
171: BASSETT LOAM, 0 TO 2 PERCENT SLOPES	BASSETT	No	---	---	---	---	---	390
171B: BASSETT LOAM, 2 TO 5 PERCENT SLOPES	BASSETT	No	---	---	---	---	---	1,568
	OTHER	No	---	---	---	---	---	82
173: HOOPESTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	HOOPESTON	No	---	---	---	---	---	290
	OTHER	No	---	---	---	---	---	15
174: BOLAN LOAM, 0 TO 2 PERCENT SLOPES	BOLAN	No	---	---	---	---	---	717
	SANDY SOIL	No	---	---	---	---	---	38

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
174B: BOLAN LOAM, 2 TO 5 PERCENT SLOPES	BOLAN	No	---	---	---	---	---	1,905
	SANDY SOIL	No	---	---	---	---	---	100
175: DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	423
	OTHER	No	---	---	---	---	---	24
	SPARTA	No	---	---	---	---	---	24
175B: DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	1,216
	OTHER	No	---	---	---	---	---	64
175C: DICKINSON FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	215
177: SAUDE LOAM, 0 TO 2 PERCENT SLOPES	SAUDE	No	---	---	---	---	---	7,290
177B: SAUDE LOAM, 2 TO 5 PERCENT SLOPES	SAUDE	No	---	---	---	---	---	3,030
	SAND AND GRAVEL	No	---	---	---	---	---	160
177C: SAUDE LOAM, 5 TO 9 PERCENT SLOPES	SAUDE	No	---	---	---	---	---	495
178: WAUKEE LOAM, 0 TO 2 PERCENT SLOPES	WAUKEE	No	---	---	---	---	---	3,182
	OTHER	No	---	---	---	---	---	168
178B: WAUKEE LOAM, 2 TO 5 PERCENT SLOPES	WAUKEE	No	---	---	---	---	---	560
	OTHER	No	---	---	---	---	---	30
184: KLINGER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	KLINGER	No	---	---	---	---	---	12,673
	OTHER	Yes	flat	2B3	YES	NO	NO	667
188: KENSETT SILT LOAM, 0 TO 2 PERCENT SLOPES	KENSETT	No	---	---	---	---	---	993

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	OTHER	Yes	drainageway	2B3	YES	NO	NO	52
198: FLOYD LOAM, 1 TO 3 PERCENT SLOPES	FLOYD	No	---	---	---	---	---	3,225
	OTHER	Yes	drainageway	2B3	YES	NO	NO	170
213: ROCKTON LOAM, DEEP, 0 TO 2 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	325
213B: ROCKTON LOAM, DEEP, 2 TO 5 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	250
214: ROCKTON LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	902
	OTHER	No	---	---	---	---	---	48
214B: ROCKTON LOAM, MODERATELY DEEP, 2 TO 5 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	551
	OTHER	No	---	---	---	---	---	29
221: PALMS MUCK, 0 TO 1 PERCENT SLOPES	PALMS	Yes	pothole	1,3	NO	NO	YES	1,938
	OTHER	No	---	---	---	---	---	102
221B: PALMS MUCK, 1 TO 4 PERCENT SLOPES	PALMS	Yes	hill	1	NO	NO	NO	738
	OTHER	Yes	hill	2B3	YES	NO	NO	41
	OTHER	Yes	pothole	2B3	YES	NO	NO	41
225: LAWLER LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	3,092
	OTHER	Yes	terrace	2B3	YES	NO	NO	163
226: LAWLER LOAM, DEEP, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	4,664
	OTHER	Yes	terrace	2B3	YES	NO	NO	246
235: COLAND-TURLIN COMPLEX, 0 TO 2 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	472
	TURLIN	No	---	---	---	---	---	284
	OTHER	No	---	---	---	---	---	189

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
236B: LESTER LOAM, 2 TO 5 PERCENT SLOPES	LESTER	No	---	---	---	---	---	7,160
	DEPRESSIONS	No	pothole	2B3,3	YES	NO	YES	398
	OTHER	No	---	---	---	---	---	398
236B2: LESTER LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	LESTER	No	---	---	---	---	---	1,040
	DEPRESSIONS	No	pothole	3,2B3	YES	NO	YES	55
236C: LESTER LOAM, 5 TO 9 PERCENT SLOPES	LESTER	No	---	---	---	---	---	746
	SANDY OR GRAVELLY	No	---	---	---	---	---	39
236C2: LESTER LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LESTER	No	---	---	---	---	---	2,894
	OTHER	No	---	---	---	---	---	161
	STORDEN	No	---	---	---	---	---	161
236D2: LESTER LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LESTER	No	---	---	---	---	---	774
	CLARION	No	---	---	---	---	---	43
	OTHER	No	---	---	---	---	---	43
236E2: LESTER LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	LESTER	No	---	---	---	---	---	442
	KILKENNY	No	---	---	---	---	---	23
236F: LESTER LOAM, 18 TO 25 PERCENT SLOPES	LESTER	No	---	---	---	---	---	260
274: ROLFE SILT LOAM, 0 TO 1 PERCENT SLOPES	ROLFE	Yes	depression	2B3,3	YES	NO	YES	428
	OTHER	No	---	---	---	---	---	22
284: FLAGLER SANDY LOAM, 0 TO 2 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	104
	SAUDE	No	---	---	---	---	---	6
	WAPSIE	No	---	---	---	---	---	6

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
284B: FLAGLER SANDY LOAM, 2 TO 5 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	380
	CALCAREOUS	No	---	---	---	---	---	20
321: BOOTS MUCKY PEAT, 0 TO 1 PERCENT SLOPES	BOOTS	Yes	pothole	3,1	NO	NO	YES	170
325: LE SUEUR LOAM, 1 TO 3 PERCENT SLOPES	LE SUEUR	No	---	---	---	---	---	1,045
	OTHER	Yes	flat	2B3	YES	NO	NO	55
329: WEBSTER-NICOLLET COMPLEX, 1 TO 3 PERCENT SLOPES	WEBSTER	Yes	ground moraine	2B3	YES	NO	NO	3,532
	NICOLLET	No	---	---	---	---	---	2,120
	OTHER	No	---	---	---	---	---	1,060
	OTHER	Yes	pothole	2B3,3	YES	NO	YES	353
335: HARCOT LOAM, 0 TO 2 PERCENT SLOPES	HARCOT	Yes	ground moraine	2B3	YES	NO	NO	4,446
	FINE SANDY LOAM	No	---	---	---	---	---	234
354: MARSH	MARSH	Yes	pothole	1,3	NO	NO	YES	4,830
377: DINSDALE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	580
	KLINGER	No	---	---	---	---	---	30
377B: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	3,339
	OTHER	No	---	---	---	---	---	176
382: MAXFIELD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MAXFIELD	Yes	flat	2B3	YES	NO	NO	18,555
399: READLYN LOAM, 1 TO 3 PERCENT SLOPES	READLYN	No	---	---	---	---	---	3,187
	OTHER	Yes	flat	2B3	YES	NO	NO	168

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
407: SCHLEY SILT LOAM, 1 TO 3 PERCENT SLOPES	SCHLEY	No	---	---	---	---	---	798
	OTHER	Yes	drainageway	2B3	YES	NO	NO	42
471: ORAN SILT LOAM, 1 TO 3 PERCENT SLOPES	ORAN	No	---	---	---	---	---	3,491
	OTHER	Yes	flat	2B3	YES	NO	NO	184
507: CANISTEO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CANISTEO	Yes	ground moraine	2B3	YES	NO	NO	4,550
	OTHER	Yes	pothole	2B3,3	YES	NO	YES	240
558: TALCOT CLAY LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	TALCOT	Yes	terrace	2B3	YES	NO	NO	930
559: TALCOT CLAY LOAM, DEEP, 0 TO 2 PERCENT SLOPES	TALCOT	Yes	terrace	2B3	YES	NO	NO	5,230
583: MINNETONKA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	MINNETONKA	Yes	ground moraine	2B3	YES	NO	NO	1,762
	OKOBOJI	Yes	pothole	2B3,3	YES	NO	YES	93
621: HOUGHTON MUCK, 0 TO 1 PERCENT SLOPES	HOUGHTON	Yes	pothole	3,1	NO	NO	YES	3,002
	DARK LOAM/SILT LOAM	No	---	---	---	---	---	158
638B2: CLARION-STORDEN LOAMS, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	CLARION	No	---	---	---	---	---	110
	STORDEN	No	---	---	---	---	---	66
	OTHER	No	---	---	---	---	---	44
638C2: CLARION-STORDEN LOAMS, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARION	No	---	---	---	---	---	515
	STORDEN	No	---	---	---	---	---	309
	OTHER	No	---	---	---	---	---	206

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
651: FAXON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	FAXON	Yes	ground moraine	2B3	YES	NO	NO	1,155
695: TILFER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TILFER	Yes	ground moraine	2B3	YES	NO	NO	1,030
706: DONNAN SILT LOAM, DARK VARIANT, 0 TO 2 PERCENT SLOPES	DONNAN VARIANT	No	---	---	---	---	---	136
	FRANKLIN	No	---	---	---	---	---	8
	ORAN	No	---	---	---	---	---	8
	OTHER	No	---	---	---	---	---	8
706B: DONNAN SILT LOAM, DARK VARIANT, 2 TO 5 PERCENT SLOPES	DONNAN VARIANT	No	---	---	---	---	---	395
	FRANKLIN	No	---	---	---	---	---	23
	ORAN	No	---	---	---	---	---	23
	OTHER	No	---	---	---	---	---	23
725: HAYFIELD LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	HAYFIELD	No	---	---	---	---	---	1,012
	OTHER	Yes	terrace	2B3	YES	NO	NO	53
726: HAYFIELD LOAM, DEEP, 0 TO 2 PERCENT SLOPES	HAYFIELD	No	---	---	---	---	---	912
	OTHER	Yes	terrace	2B3	YES	NO	NO	48
733: CALCO SILTY CLAY LOAM, LOAMY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	CALCO	Yes	flood plain	2B3	YES	NO	NO	760
755: NICOLLET LOAM, 1 TO 3 PERCENT LONG SLOPES	NICOLLET	No	---	---	---	---	---	2,048
	OTHER	Yes	ground moraine	2B3	YES	NO	NO	114
	OTHER	Yes	pothole	2B3,3	YES	NO	YES	114
761: FRANKLIN SILT LOAM, 1 TO 3 PERCENT SLOPES	FRANKLIN	No	---	---	---	---	---	4,299
	OTHER	Yes	flat	2B3	YES	NO	NO	226

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
777: WAPSIE LOAM, 0 TO 2 PERCENT SLOPES	WAPSIE	No	---	---	---	---	---	950
777B: WAPSIE LOAM, 2 TO 5 PERCENT SLOPES	WAPSIE	No	---	---	---	---	---	3,387
	OTHER	No	---	---	---	---	---	178
777C2: WAPSIE LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	WAPSIE	No	---	---	---	---	---	490
782: DONNAN SILT LOAM, 0 TO 2 PERCENT SLOPES	DONNAN	No	---	---	---	---	---	1,382
	OTHER	Yes	flat	2B3	YES	NO	NO	73
782B: DONNAN SILT LOAM, 2 TO 5 PERCENT SLOPES	DONNAN	No	---	---	---	---	---	1,112
	OTHER	Yes	hill	2B3	YES	NO	NO	58
782C2: DONNAN SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DONNAN	No	---	---	---	---	---	190
	OTHER	Yes	hill	2B3	YES	NO	NO	10
836B: KILKENNY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	KILKENNY	No	---	---	---	---	---	2,845
	CLAY LOAM	No	---	---	---	---	---	150
836B2: KILKENNY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	KILKENNY	No	---	---	---	---	---	504
	CLAY LOAM	No	---	---	---	---	---	26
836C2: KILKENNY SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KILKENNY	No	---	---	---	---	---	1,724
	CLAY LOAM	No	---	---	---	---	---	91
836D2: KILKENNY SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	KILKENNY	No	---	---	---	---	---	489
	OTHER	No	---	---	---	---	---	26

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Worth County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
855: SHOREWOOD SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	SHOREWOOD	No	---	---	---	---	---	1,083
	OTHER	Yes	drainageway	2B3	YES	NO	NO	57
956: OKOBOJI-HARPS COMPLEX, 0 TO 3 PERCENT SLOPES	OKOBOJI	Yes	pothole	2B3,3	YES	NO	YES	3,400
	HARPS	Yes	ground moraine	2B3	YES	NO	NO	2,040
	OTHER	No	---	---	---	---	---	1,360
977: RICHWOOD SILT LOAM, 0 TO 2 PERCENT SLOPES	RICHWOOD	No	---	---	---	---	---	430
C315: MIXED ALLUVIAL LAND, CHANNELED	MIXED ALLUVIAL LAND	No	---	---	---	---	---	495
	OTHER	Yes	flood plain	4	NO	YES	NO	28
	OTHER	Yes	oxbow	2B3,3	YES	NO	YES	28
T506: WACOUSTA SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	WACOUSTA	Yes	pothole	2B3,3	YES	NO	YES	622
	OTHER	Yes	ground moraine	2B3	YES	NO	NO	33
W: LAKES AND PONDS	WATER	Unranked	---	---	---	---	---	820